



- **The Battery**

Lantern Battery

Zinc Carbon Battery

Alkaline battery

- **The Road Warning Lamp**

Lantern Battery

- 4R25X {
 - 4R25(1200mins)----09001A
 - 4R25(900mins)----09001C
 - 4R25(600mins)----09001F
- 4R25Y
- 4R25-2
- 8R25



Carbon Zinc Battery

- R03P ,R03C
- R6P , R6C
- R14
- R20
- 3R12
- 6F22



Akaline Battery

- LR03
- LR6
- LR14
- LR20
- 3LR6
- 6LR61

4R25X

- ◆ Code: B09001A/C/F
- ◆ 4R25X, spring terminals.
- ◆ Nominal Voltage: 6V
- ◆ Plastic shell (Black, Blue, Yellow, Red colors are available)

- ◆ Dimensions: L67.0*W67.0*H115.0mm (Max)
- ◆ Approx. Weight: 480g/500g/520g
- ◆ 0% Mercury & Cadmium
- ◆ 2 years shelf life

- ◆ Packing: 1pc/Shrink, 24pcs/CTN.
- ◆ G.W.: 12.0KGS/CTN, N.W.: 11.0KGS/CTN
- ◆ CARTON SIZE: 43.0*29.0*14CMS,
- ◆ MAD: 15.6 Ω , 24h/d, E.V. 3.6volt
>600mins, 900mins, 1200mins



4R25Y

- ◆ Code:B09002A/C/F
- ◆ 4R25Y,screw terminals.
- ◆ Nominal Voltage:6V
- ◆ Plastic shell(Black,Blue,Yellow,Red colors are available)

- ◆ Dimensions:L67.0*W67.0*H114.0mm(Max)
- ◆ Approx. Weight: 480g/500g/520g
- ◆ 0%Mercury&Cadmium
- ◆ 2 years shelf life

- ◆ Packing:1pc/Shrink,24pcs/CTN.
- ◆ G.W.:12.5KGS/CTN,N.W.:11.5KGS/CTN
- ◆ CARTON SIZE:43.0*29.0*14CMS,
- ◆ MAD:15.6 Ω ,24h/d, E.V.3.6volt
>600mins,900mins,1200mins



4R25-2

- ◆ Code:B09003
- ◆ 4R25-2,screw terminals.
- ◆ Nominal Voltage:6V
- ◆ Plastic shell(Black,Blue,Yellow,Red colors are available)
- ◆ Dimensions:L136.5*W73.0*H114mm(Max)
- ◆ Approx. Weight: 1080g
- ◆ 0%Mercury&Cadmium
- ◆ 2 years shelf life
- ◆ Packing:1pc/Shrink,10pcs/CTN.
- ◆ G.W.:12.5KGS/CTN,N.W.:11.5KGS/CTN
- ◆ CARTON SIZE:38.0*29.0*15CMS,
- ◆ MAD:15.6 Ω ,24h/d, E.V.3.6volt
>1500mins



8R25

- ◆ Code:B09004
- ◆ 8R25,screw terminals.
- ◆ Nominal Voltage:12V
- ◆ Plastic shell(Black,Blue,Yellow,Red colors are available)
- ◆ Dimensions:L136.5*W73.0*H114mm(Max)
- ◆ Approx. Weight: 1080g
- ◆ 0%Mercury&Cadmium
- ◆ 2 years shelf life
- ◆ Packing:1pc/Shrink,10pcs/CTN.
- ◆ G.W.:12.5KGS/CTN,N.W.:11.5KGS/CTN
- ◆ CARTON SIZE:38.0*29.0*15CMS,
- ◆ MAD(R25):15.6 Ω ,24h/d, E.V.3.6volt
>700mins



R03P

- ◆ Code:C09001
- ◆ R03P / AAA size / SUM-4
- ◆ Nominal Voltage:1.5 V
- ◆ PVC jacket

- ◆ Diameter: 9.5~10.5mm
- ◆ Height: 43.3~44.5mm
- ◆ Approx. Weight: 8.6g/pc
- ◆ 0%Mercury&cadmium
- ◆ 2 years shelf life

- ◆ Packing:4pcs/Shrink,60pcs/box
- ◆ 2400PCS/CTN G.W.:21.0KGS/CTN
- ◆ CARTON SIZE:28.0*27.0*20.0CMS
- ◆ MAD:3.9 Ω ,24h/d,E.V. 0.9Volt
>35mins



R03C

- ◆ Item No:C09002
- ◆ R03C / AAA size / SUM-4
- ◆ Nominal Voltage:1.5 V
- ◆ PVC jacket

- ◆ Diameter: 9.5~10.5mm
- ◆ Height: 43.3~44.5mm
- ◆ Approx. Weight: 7.0g/pc
- ◆ 0%Mercury&cadmium
- ◆ 2 years shelf life

- ◆ Packing:4pcs/Shrink,60pcs/box
- ◆ 2400PCS/CTN G.W.:18.0KGS/CTN
- ◆ CARTON SIZE:28.0*27.0*20.0CMS
- ◆ MAD:3.9 Ω ,24h/d,E.V. 0.9Volt
>25mins



R6P

- ◆ Code:C09003
- ◆ R6P / AA size / SUM-3
- ◆ Nominal Voltage:1.5 V
- ◆ PVC jacket

- ◆ Diameter: 13.5~14.5mm
- ◆ Height: 49.2~50.5mm
- ◆ Approx. Weight: 16.0g/pc
- ◆ 0%Mercury&cadmium
- ◆ 2 years shelf life

- ◆ Packing:4pcs/Shrink,60pcs/box
- ◆ 1200PCS/CTN G.W.:21.0KGS/CTN
- ◆ CARTON SIZE:37.0*18.0*21.0CMS
- ◆ MAD:3.9 Ω ,24h/d,E.V. 0.9Volt
>95mins



R6C

- ◆ Code:C09004
- ◆ R6C / AA size / SUM-3
- ◆ Nominal Voltage:1.5 V
- ◆ PVC jacket

- ◆ Diameter: 13.5~14.5mm
- ◆ Height: 49.2~50.5mm
- ◆ Approx. Weight: 14.0g/pc
- ◆ 0%Mercury&cadmium
- ◆ 2 years shelf life

- ◆ Packing:4pcs/Shrink,60pcs/box
- ◆ 1200PCS/CTN G.W.:18.0KGS/CTN
- ◆ CARTON SIZE:37.0*18.0*21.0CMS
- ◆ MAD:3.9 Ω ,24h/d,E.V. 0.9Volt
>50mins



R14

- ◆ Code:C09005
- ◆ R14 / C size / SUM-2
- ◆ Nominal Voltage:1.5 V
- ◆ PVC jacket

- ◆ Diameter: 24.9~26.2mm
- ◆ Height: 48.9~49.9mm
- ◆ Approx. Weight: 42.0g/pc
- ◆ 0%Mercury&cadmium
- ◆ 2 years shelf life

- ◆ Packing:2pcs/Shrink,24pcs/box
- ◆ 480PCS/CTN G.W.:21.0KGS/CTN
- ◆ CARTON SIZE:42.0*21.0*22.0CMS
- ◆ MAD:3.9 Ω ,24h/d,E.V. 0.9Volt
>250mins



R20

- ◆ Code:C09006
- ◆ R20 / D size / SUM-1
- ◆ Nominal Voltage:1.5 V
- ◆ PVC jacket

- ◆ Diameter: 32.3~34.2mm
- ◆ Height: 59.5~61.5mm
- ◆ Approx. Weight: 86.0g/pc
- ◆ 0%Mercury&cadmium
- ◆ 2 years shelf life

- ◆ Packing:2pcs/Shrink, 12pcs/box
- ◆ 288PCS/CTN G.W.:25.0KGS/CTN
- ◆ CARTON SIZE:41.5*28.3*20.5CMS
- ◆ MAD:3.9 Ω ,24h/d,E.V. 0.9Volt
>680mins



3R12

- ◆ Code:C09007
- ◆ 3R12
- ◆ Nominal Voltage:4.5V
- ◆ Plastic shell

- ◆ Dimensions:L62.0*W22.0*H67.0mm(Max)
- ◆ Approx. Weight: 102g
- ◆ 0%Mercury&Cadmium
- ◆ 2 years shelf life

- ◆ Packing:1pc/Blister,240pcs/CTN.
- ◆ G.W.:26. 0KGS/CTN
- ◆ CARTON SIZE:34.0*26.5*30CMS,
- ◆ MAD:15.0 Ω ,24h/d, E.V.2.7volt
>260mins



6F22

- ◆ Code:C09008
- ◆ 6F22
- ◆ Nominal Voltage:9V
- ◆ Metal Jacket

- ◆ Dimensions:L26.5*W17.5*H48.5mm
- ◆ Approx. Weight: 41g
- ◆ 0%Mercury&Cadmium
- ◆ 2 years shelf life

- ◆ Packing:1pc/Shrink,500pcs/CTN.
- ◆ G.W.:21. 0KGS/CTN
- ◆ CARTON SIZE:30.0*20.0*28.5CMS,
- ◆ MAD:620 Ω ,24h/d, E.V.5.4volt
>18Hrs



LR03

- ◆ Code:A09001
- ◆ LR03 / AAA size / AM-4
- ◆ Nominal Voltage:1.5 V
- ◆ Foil jacket

- ◆ Diameter: 9.5~10.5mm
- ◆ Height: 43.3~44.5mm
- ◆ Approx. Weight: 11.0g/pc
- ◆ 0%Mercury&cadmium
- ◆ 3 years shelf life

- ◆ Packing:4pcs/Shrink,60pcs/box
- ◆ 720PCS/CTN G.W.:9.0KGS/CTN
- ◆ CARTON SIZE:23.0*14.0*14.0CMS
- ◆ MAD:3.9 Ω ,24h/d,E.V. 0.9Volt
>135mins



LR6

- ◆ Code:A09002
- ◆ LR6 / AA size / AM-3
- ◆ Nominal Voltage:1.5 V
- ◆ Foil jacket

- ◆ Diameter: 13.5~14.5mm
- ◆ Height: 49.2~50.5mm
- ◆ Approx. Weight: 22.5g/pc
- ◆ 0%Mercury&cadmium
- ◆ 3 years shelf life

- ◆ Packing:4pcs/Shrink,60pcs/box
- ◆ 720PCS/CTN G.W.:17.0KGS/CTN
- ◆ CARTON SIZE:30.0*18.0*16.0CMS
- ◆ MAD:3.9 Ω ,24h/d,E.V. 0.9Volt
>340mins



LR14

- ◆ Code:A09003
- ◆ LR14 / C size / AM-2
- ◆ Nominal Voltage:1.5 V
- ◆ Foil jacket

- ◆ Diameter: 24.9~26.2mm
- ◆ Height: 48.6~50.0mm
- ◆ Approx. Weight: 68.0g/pc
- ◆ 0%Mercury&cadmium
- ◆ 3 years shelf life

- ◆ Packing:2pcs/Shrink,24pcs/box
- ◆ 480PCS/CTN G.W.:11.0KGS/CTN
- ◆ CARTON SIZE:23.5*18.5*19.0CMS
- ◆ MAD:3.9 Ω ,24h/d,E.V. 0.9Volt
>1000mins



LR20

- ◆ Code:A09004
- ◆ LR20 / D size / AM-1
- ◆ Nominal Voltage:1.5 V
- ◆ Foil jacket

- ◆ Diameter: 32.3~34.2mm
- ◆ Height: 59.5~61.5mm
- ◆ Approx. Weight: 138.0g/pc
- ◆ 0%Mercury&cadmium
- ◆ 3 years shelf life

- ◆ Packing:2pcs/Shrink,12pcs/box
- ◆ 96PCS/CTN G.W.:14.0KGS/CTN
- ◆ CARTON SIZE:30.0*23.0*15.0CMS
- ◆ MAD:3.9 Ω ,24h/d,E.V. 0.9Volt
>2100mins



3LR6

- ◆ Code:A09005
- ◆ 3LR6(3 pcs LR6 battery in series)
- ◆ Nominal Voltage:4.5V
- ◆ Plastic shell

- ◆ Dimensions:L62.0*W22.0*H63.0mm
- ◆ Approx. Weight: 115g
- ◆ 0%Mercury&Cadmium
- ◆ 3 years shelf life

- ◆ Packing:1pc/Shrink,240pcs/CTN.
- ◆ G.W.:28.5KGS/CTN
- ◆ CARTON SIZE:37.0*29.0*28CMS,
- ◆ MAD(LR6):3.9 Ω ,24h/d, E.V.0.9volt
>340mins



6LR61

- ◆ Code:A09006
- ◆ 6LR61
- ◆ Nominal Voltage:9V
- ◆ Foil Jacket

- ◆ Dimensions:L26.5*W17.5*H48.5mm
- ◆ Approx. Weight: 44g
- ◆ 0%Mercury&Cadmium
- ◆ 3 years shelf life

- ◆ Packing:1pc/Shrink,240pcs/CTN.
- ◆ G.W.:12. 0KGS/CTN
- ◆ CARTON SIZE:25.5*21.5*16.5CMS,
- ◆ MAD:620 Ω ,24h/d, E.V.5.4volt
>45Hrs



LR1

- ◆ Code:A09007
- ◆ LR1 / N size
- ◆ Nominal Voltage:1.5 V
- ◆ Foil jacket

- ◆ Diameter: 10.9~12.0mm
- ◆ Height: 29.1~30.2mm
- ◆ Approx. Weight: 9.0g/pc
- ◆ 0%Mercury&cadmium
- ◆ 3 years shelf life

- ◆ Packing:4pcs/Shrink,60pcs/box
- ◆ 1200PCS/CTN G.W.:12.0KGS/CTN
- ◆ CARTON SIZE:23.5*18.5*19.0CMS
- ◆ MAD:5.1 Ω ,24h/d,E.V. 0.9Volt
>110mins



The Road Warning Lamp(One Battery)

- ◆ Code:L09001
- ◆ Height:31cm
- ◆ Dia:18CM
- ◆ Volt:6V
- ◆ Power:1 pc 4R25 battery
- ◆ Flash rate:60+-5% FPM
- ◆ Light source:Bulb / Led
- ◆ Base material:PP
- ◆ Shade material:PC
- ◆ Warning reflectors:Double-sided
- ◆ Color:orange/red/blue



The Road Warning Lamp(Two Battery)

- ◆ Code:L09002
- ◆ Height:31cm
- ◆ Dia:18CM
- ◆ Power:2 pcs 4R25 battery
- ◆ Flash rate:60+-5% FPM
- ◆ Light source:Bulb / Led
- ◆ Base material:PP
- ◆ Shade material:PC
- ◆ Visual distance:500M
- ◆ Warning reflectors:Double-sided
- ◆ Color:orange/red/blue

